




# GOODYEAR CL CLASSICAL



## APPLICATIONS

Belts suitable for less demanding applications.


## KEY FEATURES & BENEFITS

- Universal classical profile to fit ISO 4183 pulleys.
- Low stretch polyester tensile member.
- Oil, ozone and abrasion resistant.
- Temperature resistance: -20°C to +70°C.
- Static conductive\*\* (ISO 1813).

\*\* Refer to Static Conductive Belts section (page 85).

GOODYEAR CL

Part No: 22C 4060  
 22C 22 mm Top Width  
 4060 4060 mm Datum Length



## Z / A

Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)
Z 16	16	410	430	Z 34	34	865	887	Z 50,75	50,75	1295	1320
Z 17	17	430	450	Z 34,5	34,5	875	900	Z 51	51	1300	1324
Z 18	18	460	490	Z 35	35	890	915	Z 52	52	1320	1350
Z 19	19	480	510	Z 35,5	35,5	900	922	Z 53	53	1345	1368
Z 19,75	19,75	500	522	Z 36	36	915	940	Z 54	54	1371	1400
Z 20	20	510	530	Z 36,5	36,5	925	950	Z 55	55	1400	1420
Z 21	21	530	560	Z 37	37	945	972	Z 56	56	1422	1450
Z 21,5	21,5	545	565	Z 37,5	37,5	950	975	Z 57	57	1450	1472
Z 22	22	560	585	Z 38	38	965	990	Z 58	58	1475	1500
Z 22,75	22,75	575	600	Z 38,5	38,5	975	1000	Z 59	59	1500	1522
Z 23	23	585	610	Z 39	39	990	1010	Z 59,5	59,5	1515	1540
Z 23,5	23,5	600	625	Z 40	40	1016	1038	Z 60	60	1524	1550
Z 23,75	23,75	605	630	Z 40,5	40,5	1030	1052	Z 61	61	1550	1572
Z 24	24	610	635	Z 41	41	1040	1060	Z 62	62	1575	1600
Z 24,75	24,75	620	645	Z 41,5	41,5	1050	1072	Z 63	63	1600	1625
Z 25	25	635	660	Z 41,75	41,75	1060	1082	Z 64	64	1626	1650
Z 25,5	25,5	650	680	Z 42	42	1070	1100	Z 65	65	1651	1680
Z 26	26	660	690	Z 42,5	42,5	1080	1102	Z 66	66	1675	1700
Z 26,5	26,5	670	692	Z 43	43	1090	1115	Z 67	67	1700	1720
Z 27	27	685	710	Z 43,25	43,25	1100	1120	Z 68	68	1725	1750
Z 27,5	27,5	700	732	Z 44	44	1120	1142	Z 68,5	68,5	1740	1770
Z 28	28	710	735	Z 45	45	1145	1170	Z 69	69	1750	1780
Z 28,5	28,5	725	750	Z 45,5	45,5	1155	1180	Z 70	70	1775	1800
Z 29	29	735	760	Z 46	46	1170	1195	Z 71	71	1803	1832
Z 29,5	29,5	750	772	Z 46,5	46,5	1180	1202	Z 72	72	1830	1850
Z 30	30	760	787	Z 47	47	1194	1216	Z 73	73	1850	1872
Z 30,5	30,5	775	797	Z 47,75	47,75	1215	1237	Z 73,5	73,5	1875	1900
Z 30,75	30,75	780	800	Z 48	48	1225	1250	Z 76	76	1930	1950
Z 31	31	790	810	Z 48,5	48,5	1235	1255	Z 78	78	1975	2000
Z 32	32	815	842	Z 49	49	1245	1270	Z 79	79	2000	2022
Z 32,5	32,5	825	850	Z 49,5	49,5	1250	1280	Z 82	82	2095	2120
Z 33	33	840	865	Z 50	50	1270	1292	A 15	15	382	415
Z 33,5	33,5	850	872	Z 50,5	50,5	1285	1310	A 16	16	407	437

Shadowed belts of the same length can be used in matched sets.

# GOODYEAR CL CLASSICAL

A / B

Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)
A 18	18	457	487	A 73	73	1854	1884	A 173	173	4394	4424
A 19	19	480	510	A 73,5	73,5	1870	1900	A 176	176	4470	4500
A 20	20	508	538	A 74	74	1880	1910	A 177	177	4500	4533
A 20,75	20,75	530	560	A 75	75	1900	1930	A 180	180	4572	4605
A 21	21	535	565	A 76	76	1930	1965	A 187	187	4750	4783
A 22	22	560	593	A 77	77	1956	1989	A 197	197	5000	5033
A 22,5	22,5	570	600	A 77,5	77,5	1970	2000	A 210	210	5334	5367
A 23	23	587	620	A 78	78	1980	2013	A 217	217	5500	5530
A 23,5	23,5	600	630	A 79	79	2000	2030	B 23	23	585	630
A 24	24	610	640	A 80	80	2032	2062	B 24	24	615	655
A 25	25	630	660	A 81	81	2060	2093	B 25	25	630	670
A 26	26	660	690	A 82	82	2083	2120	B 26	26	655	695
A 26,5	26,5	680	710	A 83	83	2100	2133	B 26,5	26,5	670	710
A 27	27	686	716	A 84	84	2134	2170	B 27	27	686	726
A 28	28	710	743	A 85	85	2160	2193	B 28	28	710	750
A 28,5	28,5	720	750	A 86	86	2187	2220	B 29	29	737	790
A 29	29	730	760	A 87	87	2210	2240	B 30	30	760	800
A 30	30	767	800	A 88	88	2240	2270	B 31	31	787	830
A 31	31	787	820	A 89	89	2261	2300	B 31,5	31,5	800	835
A 31,5	31,5	800	830	A 90	90	2286	2325	B 32	32	810	850
A 32	32	813	850	A 91	91	2311	2340	B 32,5	32,5	825	865
A 33	33	838	870	A 91,5	91,5	2330	2360	B 33	33	840	880
A 34	34	860	900	A 92	92	2337	2367	B 33,75	33,75	855	895
A 35	35	889	919	A 93	93	2360	2400	B 34	34	865	910
A 35,5	35,5	900	930	A 94	94	2388	2418	B 35	35	889	929
A 36	36	914	950	A 95	95	2413	2450	B 35,5	35,5	905	945
A 37	37	940	970	A 96	96	2438	2468	B 36	36	917	960
A 38	38	965	1000	A 97	97	2464	2500	B 37	37	940	990
A 39	39	992	1020	A 98	98	2500	2530	B 38	38	965	1000
A 39,5	39,5	1000	1030	A 99	99	2520	2560	B 39	39	990	1030
A 40	40	1016	1040	A 100	100	2540	2570	B 39,5	39,5	1000	1040
A 40,5	40,5	1030	1060	A 102	102	2591	2625	B 40	40	1016	1060
A 41	41	1041	1071	A 103	103	2620	2650	B 41	41	1040	1080
A 42	42	1067	1100	A 104	104	2650	2683	B 41,75	41,75	1060	1095
A 43	43	1100	1120	A 105	105	2667	2700	B 42	42	1067	1100
A 44	44	1120	1150	A 107	107	2725	2750	B 43	43	1090	1120
A 45	45	1143	1180	A 108	108	2743	2780	B 43,25	43,25	1100	1140
A 46	46	1168	1200	A 109	109	2770	2800	B 43,5	43,5	1105	1145
A 47	47	1200	1230	A 110	110	2800	2830	B 44	44	1120	1150
A 47,5	47,5	1210	1245	A 112	112	2845	2880	B 45	45	1150	1180
A 48	48	1220	1250	A 113	113	2870	2900	B 45,5	45,5	1160	1200
A 49	49	1250	1280	A 114	114	2896	2932	B 46	46	1175	1220
A 50	50	1270	1300	A 115	115	2920	2950	B 47	47	1200	1240
A 51	51	1300	1320	A 116	116	2946	2976	B 47,25	47,25	1205	1245
A 52	52	1320	1350	A 117	117	2970	3000	B 47,5	47,5	1215	1250
A 53	53	1346	1380	A 118	118	3000	3030	B 48	48	1225	1260
A 54	54	1372	1400	A 120	120	3048	3080	B 49	49	1250	1280
A 55	55	1400	1430	A 123	123	3120	3150	B 49,5	49,5	1260	1300
A 56	56	1422	1450	A 124	124	3150	3180	B 50	50	1270	1320
A 57	57	1450	1480	A 126	126	3200	3230	B 51	51	1300	1340
A 58	58	1475	1500	A 128	128	3250	3280	B 52	52	1320	1350
A 59	59	1500	1530	A 130	130	3302	3332	B 53	53	1350	1394
A 59,75	59,75	1520	1550	A 132	132	3350	3380	B 54	54	1372	1400
A 60	60	1525	1557	A 134	134	3404	3434	B 55	55	1400	1435
A 61	61	1550	1580	A 136	136	3454	3484	B 56	56	1422	1450
A 62	62	1575	1600	A 138	138	3505	3535	B 57	57	1450	1500
A 63	63	1600	1630	A 140	140	3550	3580	B 58	58	1473	1518
A 64	64	1625	1650	A 144	144	3658	3688	B 59	59	1500	1550
A 65	65	1650	1680	A 147	147	3737	3770	B 60	60	1525	1564
A 66	66	1676	1700	A 148	148	3750	3780	B 61	61	1550	1600
A 67	67	1700	1730	A 154	154	3910	3945	B 62	62	1575	1620
A 68	68	1725	1750	A 155	155	3937	3970	B 63	63	1600	1650
A 69	69	1750	1780	A 156	156	3970	4000	B 64	64	1625	1670
A 70	70	1775	1800	A 158	158	4000	4030	B 65	65	1650	1700
A 71	71	1800	1840	A 162	162	4115	4145	B 66	66	1676	1720
A 72	72	1825	1850	A 167	167	4250	4280	B 67	67	1700	1750

GOODYEAR CL

Shaded belts of the same length can be used in matched sets.





# GOODYEAR CL CLASSICAL

B / C

GOODYEAR CL

Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)
B 68	68	1725	1775	B 136	136	3450	3500	B 300	300	7620	7660
B 69	69	1750	1800	B 138	138	3505	3550	B 315	315	8000	8040
B 70	70	1775	1825	B 140	140	3550	3600	B 330	330	8380	8420
B 71	71	1800	1850	B 142	142	3600	3650	B 345	345	8765	8805
B 72	72	1829	1870	B 144	144	3658	3700	B 360	360	9150	9190
B 73	73	1850	1900	B 146	146	3700	3750	B 361	361	9170	9210
B 74	74	1880	1920	B 147	147	3737	3785	B 364	364	9250	9290
B 75	75	1900	1950	B 148	148	3750	3800	B 366	366	9300	9340
B 76	76	1930	1980	B 150	150	3810	3850	B 394	394	10000	10040
B 77	77	1950	2000	B 151	151	3850	3890	B 433	433	11000	11040
B 78	78	1981	2025	B 152	152	3861	3900	B 472	472	12000	12040
B 79	79	2000	2050	B 154	154	3912	3950	C 33,75	33,75	858	920
B 80	80	2032	2070	B 155	155	3950	3990	C 37,5	37,5	955	1020
B 81	81	2060	2100	B 156	156	3962	4000	C 43	43	1090	1148
B 82	82	2083	2120	B 157	157	3988	4028	C 45	45	1150	1210
B 83	83	2100	2150	B 158	158	4000	4050	C 46	46	1168	1230
B 84	84	2134	2174	B 160	160	4070	4120	C 47	47	1200	1250
B 85	85	2160	2200	B 161	161	4087	4130	C 48	48	1215	1273
B 86	86	2185	2225	B 162	162	4115	4158	C 49	49	1250	1300
B 87	87	2210	2240	B 163	163	4140	4185	C 50	50	1270	1330
B 88	88	2240	2279	B 165	165	4200	4250	C 51	51	1295	1353
B 89	89	2261	2300	B 167	167	4250	4293	C 52	52	1320	1378
B 90	90	2286	2330	B 168	168	4267	4310	C 53	53	1350	1400
B 91	91	2300	2340	B 173	173	4394	4437	C 54	54	1375	1433
B 91,5	91,5	2315	2360	B 175	175	4450	4500	C 54,5	54,5	1390	1450
B 92	92	2337	2380	B 177	177	4500	4540	C 55	55	1400	1458
B 93	93	2360	2400	B 180	180	4572	4612	C 56	56	1425	1483
B 94	94	2388	2440	B 185	185	4710	4750	C 56,5	56,5	1440	1500
B 95	95	2413	2450	B 186	186	4727	4770	C 57	57	1450	1508
B 96	96	2438	2480	B 187	187	4750	4790	C 58	58	1475	1533
B 97	97	2465	2500	B 188	188	4780	4820	C 59	59	1500	1558
B 98	98	2500	2540	B 192	192	4877	4920	C 60	60	1524	1582
B 99	99	2515	2550	B 195	195	4953	5000	C 61	61	1550	1600
B 100	100	2540	2584	B 197	197	5000	5040	C 62	62	1574	1632
B 101	101	2565	2600	B 204	204	5182	5225	C 63	63	1600	1658
B 102	102	2600	2640	B 207	207	5260	5300	C 64,5	64,5	1642	1700
B 103	103	2616	2650	B 208	208	5300	5340	C 65	65	1650	1714
B 104	104	2650	2694	B 210	210	5334	5377	C 66	66	1676	1734
B 105	105	2667	2700	B 217	217	5510	5550	C 67	67	1700	1758
B 106	106	2700	2745	B 219	219	5560	5600	C 68	68	1727	1785
B 107	107	2718	2760	B 220	220	5600	5640	C 68,5	68,5	1740	1800
B 108	108	2750	2790	B 221	221	5610	5650	C 69	69	1750	1808
B 109	109	2760	2800	B 223	223	5650	5690	C 70	70	1778	1836
B 110	110	2800	2844	B 224	224	5690	5730	C 70,5	70,5	1790	1850
B 112	112	2845	2895	B 225	225	5715	5755	C 71	71	1800	1858
B 112,5	112,5	2857	2900	B 228	228	5790	5830	C 72	72	1829	1887
B 114	114	2900	2944	B 229	229	5815	5855	C 72,5	72,5	1840	1900
B 115	115	2921	2964	B 235	235	5960	6000	C 73	73	1854	1912
B 116	116	2950	2990	B 236	236	6000	6040	C 74	74	1880	1938
B 116,5	116,5	2955	3000	B 237	237	6020	6060	C 75	75	1900	1957
B 117	117	2972	3015	B 240	240	6096	6136	C 76	76	1930	2000
B 118	118	3000	3050	B 247	247	6260	6300	C 77	77	1956	2014
B 120	120	3048	3091	B 248	248	6300	6340	C 78	78	1981	2050
B 122	122	3100	3150	B 249	249	6325	6365	C 79	79	2000	2058
B 124	124	3150	3194	B 253	253	6425	6465	C 80	80	2032	2090
B 125	125	3175	3215	B 255	255	6480	6520	C 81	81	2062	2120
B 126	126	3200	3245	B 256	256	6500	6540	C 82	82	2080	2141
B 127	127	3227	3270	B 259	259	6580	6620	C 83	83	2108	2175
B 128	128	3250	3300	B 264	264	6700	6740	C 84	84	2134	2200
B 130	130	3302	3350	B 265	265	6730	6770	C 85	85	2159	2217
B 131	131	3327	3370	B 269	269	6830	6870	C 86	86	2184	2240
B 132	132	3350	3390	B 270	270	6850	6890	C 87	87	2210	2268
B 133	133	3378	3420	B 276	276	7000	7040	C 88	88	2240	2298
B 134	134	3404	3450	B 280	280	7100	7140	C 89	89	2261	2319
B 135	135	3429	3470	B 285	285	7240	7280	C 90	90	2286	2350

Shadowed belts of the same length can be used in matched sets.

# GOODYEAR CL CLASSICAL

C / D

Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)
C 91	91	2300	2360	C 177	177	4500	4558	D 154	154	3915	3993
C 92	92	2337	2400	C 180	180	4572	4630	D 155	155	3925	4000
C 93	93	2360	2418	C 185	185	4692	4750	D 158	158	4000	4075
C 94	94	2388	2450	C 187	187	4750	4808	D 162	162	4115	4190
C 95	95	2413	2471	C 190	190	4826	4884	D 164	164	4175	4250
C 96	96	2438	2500	C 194	194	4942	5000	D 167	167	4250	4320
C 97	97	2464	2522	C 195	195	4953	5011	D 170	170	4315	4390
C 98	98	2500	2565	C 197	197	5000	5058	D 173	173	4394	4469
C 99	99	2525	2585	C 200	200	5080	5138	D 174	174	4425	4500
C 100	100	2540	2600	C 204	204	5182	5244	D 176	176	4475	4550
C 101	101	2560	2618	C 206	206	5242	5300	D 177	177	4500	4575
C 102	102	2591	2650	C 208	208	5300	5358	D 180	180	4572	4650
C 103	103	2615	2680	C 210	210	5334	5392	D 187	187	4750	4825
C 104	104	2642	2700	C 216	216	5486	5548	D 194	194	4925	5000
C 105	105	2667	2725	C 218	218	5542	5600	D 195	195	4953	5028
C 106	106	2692	2750	C 220	220	5600	5658	D 197	197	5000	5075
C 108	108	2750	2800	C 222	222	5635	5693	D 204	204	5182	5258
C 109	109	2770	2820	C 225	225	5715	5773	D 204,5	204,5	5225	5300
C 110	110	2800	2864	C 228	228	5790	5848	D 205	205	5209	5285
C 111	111	2819	2886	C 234	234	5942	6000	D 207	207	5259	5335
C 112	112	2845	2903	C 236	236	6000	6058	D 208	208	5300	5375
C 112,5	112,5	2858	2915	C 238	238	6045	6103	D 210	210	5334	5410
C 114	114	2896	2954	C 240	240	6096	6154	D 217	217	5525	5600
C 115	115	2921	2979	C 245	245	6242	6300	D 220	220	5600	5680
C 116	116	2950	3000	C 248	248	6300	6358	D 223	223	5664	5739
C 117	117	2970	3030	C 250	250	6350	6408	D 225	225	5715	5790
C 118	118	3000	3050	C 255	255	6470	6528	D 233	233	5925	6000
C 120	120	3048	3106	C 264	264	6700	6758	D 236	236	6000	6075
C 122	122	3099	3150	C 265	265	6730	6788	D 238	238	6045	6120
C 124	124	3150	3208	C 270	270	6850	6916	D 240	240	6096	6166
C 125	125	3175	3235	C 276	276	7000	7058	D 245	245	6225	6300
C 125,5	125,5	3190	3250	C 280	280	7100	7158	D 248	248	6300	6375
C 126	126	3200	3258	C 285	285	7240	7298	D 250	250	6350	6425
C 128	128	3250	3308	C 295	295	7500	7558	D 255	255	6480	6555
C 129	129	3292	3350	C 297	297	7540	7598	D 264	264	6700	6775
C 130	130	3302	3360	C 300	300	7620	7678	D 266	266	6760	6835
C 132	132	3350	3408	C 303	303	7700	7758	D 270	270	6858	6933
C 134	134	3404	3462	C 314	314	7976	8034	D 277	277	7025	7100
C 136	136	3450	3500	C 315	315	8000	8058	D 280	280	7100	7175
C 137	137	3492	3550	C 316	316	8025	8083	D 282	282	7160	7235
C 138	138	3505	3563	C 330	330	8382	8440	D 285	285	7240	7315
C 139	139	3525	3585	C 336	336	8530	8588	D 295	295	7500	7575
C 140	140	3550	3608	C 345	345	8760	8818	D 298	298	7569	7644
C 142	142	3607	3665	C 360	360	9140	9198	D 300	300	7620	7695
C 144	144	3658	3716	C 394	394	10000	10058	D 312	312	7925	8000
C 145	145	3692	3750	C 420	420	10665	10723	D 314	314	7975	8050
C 147	147	3734	3795	C 424	424	10770	10828	D 315	315	8000	8075
C 148	148	3750	3805	D 98	98	2500	2575	D 316	316	8025	8100
C 150	150	3810	3868	D 104	104	2650	2725	D 326	326	8280	8355
C 152	152	3860	3920	D 110	110	2800	2870	D 330	330	8382	8457
C 153	153	3900	3960	D 118	118	3000	3070	D 345	345	8763	8838
C 154	154	3912	3970	D 120	120	3048	3123	D 351	351	8925	9000
C 155	155	3940	4000	D 121	121	3075	3150	D 354	354	9000	9075
C 158	158	4000	4060	D 124	124	3150	3220	D 360	360	9150	9225
C 160	160	4064	4120	D 128	128	3251	3326	D 374	374	9500	9575
C 161,5	161,5	4100	4160	D 129	129	3275	3350	D 390	390	9900	9975
C 162	162	4115	4177	D 132	132	3350	3420	D 394	394	10000	10075
C 164	164	4190	4250	D 134	134	3400	3475	D 420	420	10670	10745
C 165	165	4195	4255	D 135	135	3425	3500	D 441	441	11200	11275
C 166	166	4216	4278	D 136	136	3454	3529	D 480	480	12200	12275
C 167	167	4250	4308	D 137	137	3475	3550	D 492	492	12500	12575
C 168	168	4267	4329	D 140	140	3550	3625	D 540	540	13720	13795
C 169	169	4292	4350	D 144	144	3658	3733	D 600	600	15240	15315
C 173	173	4394	4452	D 145	145	3675	3750				
C 175	175	4442	4500	D 148	148	3750	3820				

Shaded belts of the same length can be used in matched sets.



GOODYEAR CL